





Trusted every day

Vertex[™]

Tilt Latches

An engineered product offering excellent functionality and security.

- Designed for uPVC, Timber and Aluminium windows
- Compatible with a wide range of window systems
- Suitable for Security Applications
- Included within the Yale Lifetime Security Guarantee
- Available in a range of colours
- Suitable for push to lock applications
- Manufactured from high performance materials
- Designed to achieve the security requirements of PAS24

Handed 'Push to lock' Tilt Latches
(Tilt latch finials sold separately)





Cycle Tested to BS 6375: Part 2 (20,000 cycles)



BS EN 1670: Grade 4 240 Hours NSST



PAS24


Designed to achieve the requirements of PAS24 when fitted with Yale's complete Vertex hardware




Product	Profile Sytem	Part code
Tilt Latch RH - White	Veka - Spectus - Eurocell- Rehau	YVSTL01RH-WH
Tilt Latch LH - White	Veka - Spectus - Eurocell- Rehau	YVSTL01LH-WH
Tilt Latch RH - Grey	Veka - Spectus - Eurocell- Rehau	YVSTL01RH-GRY
Tilt Latch LH - Grey	Veka - Spectus - Eurocell- Rehau	YVSTL01LH-GRY
Tilt Latch RH - Black	Veka - Spectus - Eurocell- Rehau	YVSTL01RH-BK
Tilt Latch LH - Black	Veka - Spectus - Eurocell- Rehau	YNSTL01LH-BK

Tilt latch and heritage tilt finial








Upper sash hole position for Tilt Latch


Slot position on lower sash interlock for Tilt Latch

(fixing holes as upper sash)


Wndow System	DIM 'X'
Eurocell	23.0
Spectus	23.0
Rehau	27.25
Veka	23.25



Upper sash non-decorative



Lower sash contemporary Tilt



Maintenance

Yale recommends this product is surface cleaned with a damp cloth only and is kept free from any building materials and debris which could affect the mechanism.

Colour Variants

White

Black

Grey

Packaging

Boxed in 100's

Material Specification

Stainless Steel 304
Reinforced Nylon
High performance Spring Steel

© ASSA ABLOY

November 2023/ V1.2

www.yaledws.co.uk Yale DWS

School Street, Willenhall, West Midlands WV13 3PW, UK

T: 01902 366800 F: 01902 369041